



Republic of the Philippines  
GOVERNMENT ARSENAL  
Camp General Antonio Luna  
Lima, Bataan  
Telefax: 421 1554 / (047) 244 5624  
E-mail address: [arsenaldnd@yahoo.com](mailto:arsenaldnd@yahoo.com)

**GA BIDS AND AWARDS COMMITTEE**  
**Supplemental Bulletin Nr GA-BAC-OL-20-01**

**Procurement of Oils and Lubricants**  
**GA-BAC-2020-IA-02**  
**29 November 2019**

1. This is to inform all prospective bidders for the Procurement of Oils and Lubricants for the amendments on the bidding document, to wit;

PARTICULAR	FROM	TO
<b>Post-Qualification Requirements</b> <i>BDS Section 29.2</i>	Other permits and licenses: a. Registration Certificate from SEC, DTI for sole proprietorship, or CDA for cooperatives b. Mayor's Permit c. Tax Clearance d. Latest Audited Financial Statement e. Company profile of the bidder  NOTE: Except for tax clearance, foreign bidders shall submit the appropriate equivalent documents filed in their country of origin or certificate of non-existence	Other permits and licenses: a. <del>Registration</del> Certificate from <del>SEC, DTI</del> for sole proprietorship, or CDA for cooperatives b. Mayor's Permit c. Tax <del>Clearance</del> d. Latest <del>Audited</del> Financial Statement e. Company profile of the bidder f. <b>Sample of certain oils and lubricants will be required during post-qualification (see attached Revised Statement of Technical Specifications)</b>  NOTE: Except for tax clearance, foreign bidders shall submit the appropriate equivalent documents filed in their country of origin or certificate of non-existence

**Technical Specifications**

Item No.	FROM	TO
13	Hydraulic oil, Renolin B-105, VG-22, 18L/pail	Hydraulic oil, Renolin B-105, VG-22, 18L/pail (or equivalent)
14	Tellus # 11, 18L/pail	Tellus # 11, 18L/pail (or equivalent)
17	Spindle lubricating oil for chiller (Tellus #5), 18L/pail	Spindle lubricating oil for chiller (Tellus #5), 18L/pail (or equivalent)
18	Machine lubricating oil (Mobil Vactra # 2), 18L/pail	Machine lubricating oil (Mobil Vactra # 2), 18L/pail (or equivalent)

2. Bidders shall submit Product Data Sheet (PDS) or Technical Data Sheet (TDS) for above-mentioned items as proof of equivalency or similarity during the submission and opening of bids and thereto subjected for evaluation.
3. Bidders are hereby instructed to use the attached Revised Technical Specifications (*pages 72-73*) during the submission and opening of bids.
4. Please be guided accordingly.

  
**MS. TERESITA L. VITUG**  
Chairperson, Bids & Awards Committee

**TECHNICAL SPECIFICATIONS  
(REVISED)**

ITEM NO.	DESCRIPTION	UNIT	QTY	COMPLY / NOT COMPLY
1	Lubricating oil #10, 18L/pail <i>(Please indicate the brand name of offered item)</i>	pail	31	
2	Lubricating oil #30, 18L/pail <i>(Please indicate the brand name of offered item and submit 200ml sample during post-qualification)</i>	pail	31	
3	Tectile Fluid WL #32	L	40	
4	Gear Oil #320	L	40	
5	SSR Ultra Coolant for Ingersoll Rand Compressor, 20L/cby <i>(Submit PDS/TDS during submission and opening of bids)</i>	cby	5	
6	Water Soluble Cutting Oil <i>(Submit one (1) liter sample during post-qualification)</i>	L	200	
7	ISO 68 Hydraulic Oil, 18 ltr/pail	pail	9	
8	Penetrating Oil 12oz/can, Aerosol type can	can	86	
9	Cutting coolant oil (Emulsion) @ 18L/pail <i>(Submit one (1) liter sample during post-qualification)</i>	pail	60	
10	Grease No. 0	ltr	7	
11	Grease No. 2	ltr	2	
12	Grease (Blasoluble 301)	ltr	4	
13	Hydraulic oil, Renolin B-105, VG-22, 18L/pail <b>(or equivalent)</b>	pail	10	
14	Tellus # 11, 18L/pail <b>(or equivalent)</b>	pail	10	
15	Cleaner, KC-12 (for EDM Wirecut)	gal	5	
16	Die electric fluid, 200L/drum <i>(Submit one (1) liter sample during post-qualification)</i>	drum	6	
17	Spindle lubricating oil for chiller (Tellus #5), 18L/pail <b>(or equivalent)</b>	pail	2	



Signature Over Printed Name of Bidder

**TECHNICAL SPECIFICATIONS  
(REVISED)**

ITEM NO.	DESCRIPTION	UNIT	QTY	COMPLY / NOT COMPLY
18	Machine lubricating oil (Mobil Vactra # 2), 18L/pail <b>(or equivalent)</b>	pail	2	
19	Coolant conditioner #3P2044B, 18L/pail	pail	8	
20	Engine oil, 15W40, 18L/pail	pail	15	
21	Oil #40, 18L/pail <i>(Please indicate the brand name of offered item)</i>	pail	5	
22	Slide way lubricant, oil #2, 208L/drum, ISO viscosity grade: 68 viscosity, ASTM D 445, cSt @40°C 67.78, cSt @ 100°C 8.6, viscosity index, ASTM D 2270 96, copper strip corrosion, ASTM D 130, 3h @ 100°C 1B <i>(Submit PDS/TDS during submission and opening of bids)</i>	drum	2	
23	Belt dressing, 10 oz or 284 gram/can <i>(Please indicate the brand name of offered item)</i>	can	25	
24	Rust dissolver, 280gram/can <i>(Please indicate the brand name of offered item)</i>	can	5	
25	Soldering flux grease, 50 grams/container <i>(Please indicate the brand name of offered item)</i>	contr.	5	
26	Paraffin Oil, 2L/btl <i>(Submit 200ml sample during post-qualification)</i>	btl	50	
27	Air Tool Oil (ISO PAO 10) 1qt/btl <i>(Submit 200ml sample during post-qualification)</i>	btl	10	
28	High Speed Vacuum Pump Oil (N32 Mineral Oil), 16L/pail <i>(Submit 200ml sample during post-qualification)</i>	pail	5	

**NOTE: For item nos. 13, 14, 17 and 18, bidders shall submit Product Data Sheet (PDS) or Technical Data Sheet (TDS) as proof of equivalency or similarity during the submission and opening of bids and thereto subjected for evaluation.**



\_\_\_\_\_  
Signature Over Printed Name of Bidder